

SADA QRCs - QUICK FOR DENTAL PR

ICD-10
Code

NB 1 :If you are viewing this electronically, click [CC](#)
NB 2: All codes marked with a hash # require a sup

K00	
K00.0	Anodontia
K00.1	Supernumerary teeth
K00.2	Abnormalities of tooth size and form
K00.3	Mottled teeth
K00.4	Disturbances in tooth formation
K00.5	Hereditary disturbances in tooth structure, not e
K00.6	Disturbances in tooth eruption
K00.7	Teething syndrome
K00.8	Other disorders of tooth development
K00.9	Disorders of tooth development, unspecified

K01	
K01.0	Embedded teeth
K01.1	Impacted teeth

K02	
------------	--

K02.0	Caries limited to enamel
K02.1	Caries of dentine
K02.2	Caries of cementum
K02.3	Arrested dental caries
K02.4	Odontoclasia
K02.5	Caries with pulp exposure
K02.8	Other dental caries
K02.9	Dental caries, unspecified
K03	
K03.0	Excessive attrition of teeth
K03.1	Abrasion of teeth
K03.2	Erosion of teeth
K03.3	Pathological resorption of teeth
K03.4	Hypercementosis
K03.5	Ankylosis of teeth
K03.6	Deposits [accretions] on teeth
K03.7	Posteruptive colour change of dental hard tissue
K03.8	Other specified diseases of hard tissue of teeth
K03.9	Diseases of hard tissue or teeth, unspecified
K04	
K04.0	Pulpitis
K04.1	Necrosis of pulp
K04.2	Pulp degeneration
K04.3	Abnormal hard tissue formation in pulp

K04.4	Acute apical periodontitis of pulpal origin
K04.5	Chronic apical periodontitis
K04.6	Periapical abscess with sinus
K04.7	Periapical abscess without sinus
K04.8	Radicular cyst
K04.9	Other and unspecified diseases of pulp and per

K05	
K05.0	Acute gingivitis
K05.1	Chronic gingivitis
K05.2	Acute periodontitis
K05.3	Chronic periodontitis
K05.4	Periodontosis
K05.5	Other periodontal diseases
K05.6	Periodontal disease, unspecified

K06	
K06.0	Gingival recession
K06.1	Gingival enlargement
K06.2	Gingival and edentulous alveolar ridge lesions
K06.8	Other specified disorders of gingiva and edentu
K06.9	Disorder of gingiva and edentulous alveolar ridge

K07	
K07.0	Major anomalies of jaw size
K07.1	Anomalies of jaw-cranial base relationship

K07.2	Anomaliies of dental arch relationship
--------------	--

K07	
K07.3	Anomalies of tooth position
K07.4	Malocclusion, unspecified
K07.5	Dentofacial functional abnormalities
K07.6	Temporo-mandibular joint disorders
K07.8	Other dentofacial anomalies
K07.9	Dentofacial anomaly, unspecified

K08	
K08.0	Exfoliation of teeth due to systemic causes
K08.1	Loss of teeth due to accident, extraction or local disease
K08.2	Atrophy of edentulous alveolar ridge
K08.3	Retained dental root
K08.8	Other specified disorders of teeth and supporting structures
K08.9	Disorders of teeth and supporting structures, unspecified

K09	
K09.0	Developmental odontogenic cysts
K09.1	Developmental (nonodontogenic) cysts of oral region
K09.2	Other cysts of jaws
K09.8	Other cysts of oral region, not elsewhere classified
K09.9	Cyst of oral region, unspecified

K10	
K10.0	Developmental disorders of jaws
K10.1	Giant cell granuloma, central
K10.2	Inflammatory conditions of jaws
K10.3	Alveolitis of jaws
K10.8	Other specified diseases of jaws
K10.9	Disease of jaws, unspecified
K11	
K11.0	Atrophy of salivary gland
K11.1	Hypertrophy of salivary gland
K11.2	Sialoadenitis
K11.3	Abscess of salivary gland
K11.4	Fistula of salivary gland
K11.5	Sialolithiasis
K11.6	Mucocoele of salivary gland
K11.7	Disturbances of salivary secretion
K11.8	Other diseases of salivary glands
K11.9	Disease of salivary gland, unspecified
K12	
K12.0	Recurrent oral aphthae
K12.1	Other forms of stomatitis
K12.2	Cellulitis and abscess of mouth (Excludes)
K12.3	Oral mucositis (ulcerative)

K13	
K13.0	Diseases of lips
K13.1	Cheek and lip biting
K13.2	Leukoplakia and other disturbances of the oral mucosa
K13.3	Hairy Leukoplakia
K13.4	Granuloma and granuloma-like lesions of oral mucosa
K13.5	Oral submucous fibrosis
K13.6	Irritative hyperplasia of oral mucosa
K13.7	Other and unspecified lesions of oral mucosa

K14	
K14.0	Glossitis
K14.1	Geographic tongue
K14.2	Median rhomboid glossitis
K14.3	Hypertrophy of papillae
K14.4	Atrophy of papillae
K14.5	Plicated tongue
K14.6	Glossodynia
K14.8	Other diseases of tongue
K14.9	Disease of tongue, unspecified

Z CODES

Z01.2	Dental examination
--------------	--------------------

NOT Z CODE	Code according to diagnosis
Z13.8	Special screening examination for other specified diseases or disorders
Z41.8	Other procedures for purposes other than remedying health state
Z41.9	Procedure for purposes other than remedying health state, unspecified
Z29.8	Other specified prophylactic procedures
Z45.8	Adjustment and management of other implants
Z46.3	Fitting and adjusting of dental prosthetic device
Z46.4	Fitting and adjusting of orthodontic device
Z48.0	Attention to surgical dressings and sutures
Z53.2	Procedure not carried out because of patient's decision for other and unspecified reasons

S CODES

S03.2	Dislocation of tooth
S09.90/V48.5	S09.9 = Facial injury. Unspecified injury of head. V48.5 = Car. occupant injured in noncollision transport accident
K03.8	Other specified diseases of hard tissues of teeth
S02.6-	Fracture of mandible

S02.51	Fracture of tooth, open
S02.50	Fracture of tooth, closed
R CODES	
R20.2	Paraesthesia of skin
T CODES	
T81.0	Haemorrhage and haematoma complicating a procedure, not elsewhere
T02.0	Fractures involving head with neck
T03.0	Dislocations, sprains and strains involving
T17	Foreign body in respiratory tract
T18	Foreign body in alimentary tract
T88.8/Y88.2	Other specified complications of surgical and medical care, not elsewhere classified
T17.-	Foreign body in respiratory tract
T18.-	Foreign body in alimentary tract
T85.8	Other complications of internal prosthetic devices, implants and grafts, not elsewhere classified
T85.9	Unspecified complication of internal prosthetic device, implant and graft
T88.8	Other specified complication of surgical and
V CODES	
V01 - V99	Transport accidents
W CODES	

W00-W19	Falls
W20-W49	Exposure to inanimate mechanical forces

X CODES

X99	Assault by a sharp object
-----	---------------------------

Y CODES

Y60 - Y69	Misadventures to patients during surgical and medical care
Y48.3	Adverse effects in therapeutic use, local anaesthetics
Y60.0	Unintentional cut, puncture, perforation or haemorrhage during surgical operation

PLACE OF OCCURANCE -

.0	HOME
.1	RESIDENTIAL INSTITUTION
.2	SCHOOL, OTHER INSTITUTION AND PUBLIC ADMINISTRATIVE AREA
.3	SPORTS AND ATHLETICS AREA
.4	STREET & HIGHWAY
.5	TRADE AND SERVICE AREA
.6	INDUSTRIAL AND CONSTRUCTION AREA
.7	FARM
.8	OTHER SPECIFIED PLACES

.9	UNSPECIFIED PLACE
----	-------------------

ACTIVITY -	
0	WHILE ENGAGED IN SPORTS ACTIVITY
1	WHILE ENGAGED IN LEISURE ACTIVITY
2	WHILE WORKING FOR INCOME
3	WHILE ENGAGED IN OTHER TYPES OF WORK
4	WHILE RESTING, SLEEPING, EATING OR ENGAGING IN OTHER VITAL ACTIVITIES
8	WHILE ENGAGED IN OTHER SPECIFIED ACTIVITIES
9	DURING UNSPECIFIED ACTIVITY

ALPHABETICALLY

**TIP: If viewing electronically
NOTE**

COMMON DESCRIPTION	CODE
Abutment	K08.1
Adjust denture	Z46.3
Adjust ortho appliance	Z46.4

Amalgam filling	K02.8
Anaesthetic - local - injection	#
Anaesthesia / numbness of tongue	R20.0
Analgesia [inhalation or IV]	R45.8
Antibiotic prescribed	#
Apexification	K04.5 or K00.4
Apnoea	G47.3
Apthous ulcers	K12.0
Attrition	K03.1
Avulsion, luxation or extrusion of tooth.	S03.2
Basic cleaning	Z29.8
Biopsy	Z03.1
Bite plate	K03.0 or M25.58
Bitewing x-ray	Z01.2
Bleaching non vital tooth	K03.7
Bleaching full arch/es	Z41.8
Bleeding socket	T81.0
Bridge new	K08.1
Broken endodontic instrument	Y61.0
Broken filling	K02.8
Broken tooth (<u>not</u> from external trauma)	K02.8
Broken tooth as a result of trauma	S02.51
Bruxism	F45.8
Broken/failed/cancelled appointment	Z53.2
Calculus removal of	K03.6

Caries	K02.8
Cavity	K02.8
Cleft lip	K07.8
Cleft palate	K07.8
Composite filling	K02.8
Comprehensive examination / detailed consultation / extensive oral evaluation	#
Conscious sedation	F41.9
Coping	K02.8
Crown	K02.8
Crown lengthening	K06.8
CBCT	Z01.2
Curettage - gingival	K05.3
Cusp fracture as a result of trauma	S02.51/W21.30
Cut tongue/cheek while operating	Y60.0
Cyst	K09.9
Dental implant	K08.1
Denture new - full or partial	K08.1
Denture clasps	K08.1
Denture ease	Z46.3
Denture - new - full or partial	K08.1
Denture repair	Z46.3

Diagnostic model	Z01.2
Dry mouth	R68. 2
Dry socket	K10.3
Ease denture	Z46.3
Edentulous	K08.1
Endodontics	K04.9
Erosion	K03.2
Eruption problem	K00.6
Examination / consultation 8101	Z01.2
Excision of tissue	D10.3
Facial injury in overturned car	S09.9/V48.5-
Facing replacement	Z46.3
Failed implant	T85.9
Filling	K02.8
Fissure sealant	Z29.8
Fixed or fixed removable prosthesis	K08.1
Fluoride treatment	Z29.8
Foreign body in respiratory tract	T17.-
Foreign body in alimentary tract	T18

Fracture of mandible in motor accident	S02.6
Fractured cusp due to traumatic injury	#
Fractured cusp from chewing	K02.2 or K03.8
Fractured endodontics instrument	Y61.9
Fractured filling in absence of caries	K02.2
Fractured implant body	T85.6
Fractured post - removal	T88.8/Y88.2
Frenectomy of lip	Q38.0
Frenectomy of tongue - ankyloglo	Q38.1
Full mouth x-rays	Z01.2
General anaesthetic	#
Gingival hyperplasia	K06.1
Gingivectomy or gingivoplasty	K06.1
Hemisection of tooth	K04.5
Impacted tooth	K01.1
Implant	K08.1
Implant maintenance	Z45.8

Implant - failed	T85.9
Injection of local anaesthetic	#
Implant damage to inf. alveolar nerve	T88.8/Y88.29
Mouth breathing . Snoring	R06.5
Incision and drainage	K04.9
Injury	#
Intravenous sedation	F41.9
Laminate veneer	#
Lip - cancer of	D04.0
Local anaesthetic	#
Maintenance - periodontal	K05.5
Malocclusion	K07.2
Maryland bridge	K08.1
Medication	#
Mouth guard (sports)	Z29.8
Obstructive sleep apnoea	G47.3
Occlusal guard	K03.0 or M25.58
Odontogenic cyst	K09.0
Operculectomy	K05.2
Orthodontic treatment	K07.2
Ortho device adjustment or repair	Z46.4
Osteoplasty	K08.8
Osteotomy	K08.8
Overdenture	K08.1
Panoramic radiograph	Z01.2

Paraesthesia/tingling of tongue or	R20.2
Periapical cyst	K04.5
Periapical infection	K04.-
Pericoronitis	K05.5
Perio abscess	K05.2
Periodontal screening	Z13.8
Pin for restoration	K02.8
Pontic	K08.1
Post for crown	K02.8
Post extraction/surgery haemorrhage	T81.0
Precision attachment	Z46.3
Premedication prophylactic	Z29.8
Premedication sedative	F41.9
Prescription	#
Preventive procedure	Z29.8
Prophylactic antibiotic therapy	Z29.8
Prosthetic abutment retainer	K08.1
Provisional crown	K02.9
Pulp cap	K04.0
Radiograph routine	Z01.2
Radiograph during endodontics	K04.9
Reaction to local anaesthetic	Y48.3
Recement crown/bridge,	Z46.3
Re-implant (avulsed) tooth	S03.2

Reline denture	Z46.3
Remove (residual) root	K08.3
Replace amalgams with composites at patient's request	Z41.8
Retrograde filling	K04.2
Root planing an curettage	K05.3
Root treatment	K04.1
Rubber dam	#
Scaling	K03.6
Sealant	Z29.8
Sedation - conscious or IV	F41.9
Sinusitis	J01.0
Sleep apnoea	G47.3
Snoring device	R06.5
Space maintainer	K08.1
Splinting of teeth	S03.2 or K05.5
Stomatitis	K12.1
Study model	Z01.2
Supernumery tooth	K00.1
Suture or dressing removal or re- placement by another dentist	Z48.0
Teeth whitening - full archess	Z41.8
Tissue conditioner	Z46.3
T M Joint pain	M25.58
Toothache of uncertain origin	K08.8
Tooth whitening single tooth	K03.7
Tomograph	Z01.2

apical tissues				
Gingivitis and periodontal diseases				
Other disorders of the gingiva and edentulous alveolar ridges				
associated with trauma				
edentulous alveolar ridge				
gingivitis, unspecified				
Dento-facial anomalies including malocclusion				

--	--	--	--	--

Dento-facial anomalies including malocclusion (continued)				

Other disorders of the teeth and supporting structures				
al periodontal disease				
g structures				
specified				

Cysts of oral origin, not elsewhere classified				
egion				
ied				

Other diseases of jaws				
Diseases of the salivary glands				
Stomatitis and related lesions				
periapical abscess)				

Periodontal screening				
Fluoride treatment				
nted devices				
Lab fee. Ease				
Lab fee. Adjustment				
Suture or dressing removal or re-placement by another dentist				
[selection of most relevant] [Must be followed by a supplementary external cause code, beginning with a V, W ,X or Y]				
Does not need 5th character but must be followed by supplementay code				
Fractured cusp (NOT RESULTING FROM TRAUMA)				
A 5th character is required for S02.6 to indicate if the fracture is open or closed; must be accompanied by a supplementary external cause				

(from trauma)				
Use for tongue paraesthesia				
[Must be followed by a supplementary external cause code, beginning with a V, W ,X or Y]				
T17.4 = in trachea				
T18.1 = in oesophagus				
See 4 character codes in volume 1 or reference the Master Industry Table (MIT) http://www.health.gov.za/index.php/shortcodes/2015-03-29-10-42-47/2015-06-10-09-23-36/2015-06-10-09-26-11)				
Implant damage to inf. alveolar nerve				
Implant - failed,				
Fractured post				
V codes are not valid in the primary position				
V20-V29= Motorcyclist Must be specified to the 5th character level to be valid				
W codes are not valid in the primary position				

For use with supplementary codes				
CAL LIST OF COMMON CONDITIONS and APPROPRIATE ICD-10 CODES				
, to locate any word in the list, click CONTROL - F and type in word you are looking for. :: CODES IN RED TEXT ALL REQUIRE SUPPLEMENTARY CODES.				
ALL CODES IN RED REQUIRE SUPPLEMENTARY CODES				
ICD-10 DESCRIPTOR				
Loss of teeth due to accident, extraction or local periodontal disease				
Fitting and adjusting of dental prosthetic device				
Fitting and adjusting of orthodontic device				

Other dental caries				
Use same code as for procedure being done				
Paraesthesia of skin				
Other symptoms and signs involving emotional state				
Use code appropriate for condition being treated.				
K04.5 = Chronic apical periodontitis or K00.4 = Disturbances in tooth formation				
Sleep apnoea (obstructive)				
Recurrent oral aphthae				
Abrasion of teeth				
Dislocation of tooth (NB: this code does <u>not</u> require a 5th character)				
Other specified prophylactic measures				
Observation for suspected malignant neoplasm				
K0.3 = Excessive attrition of teeth or M25.58 = Pain in joint, other site (M25.5 must have a 5th character to be valid)				
Dental examination				
Posteruptive colour change of dental hard tissues				
Other procedures for purposes other than remedying health state				
Haemorrhage and haematoma complicating a procedure, not elsewhere classified. All T codes require a supplementary external cause code				
Loss of teeth due to accident, extraction or local periodontal disease				
Foreign object accidentally left in body during surgical and medical care, surgical operation (Not a primary code)				
Other dental caries				
Other dental caries				
N.B. - S code must specified to a 5th character (open or closed) and be followed by a supplementary external cause code				
Other somatoform disorders. Teeth grinding				
Procedure not carried out because of patient's decision for other and unspecified reasons				
Deposits [accretions] on teeth				

Other dental caries (Applies to most restorations because most have caries through dentine)				
Other dental caries. (Applies to most restorations because most have caries through dentine)				
Other dento-facial anomalies				
Other dento-facial anomalies				
Other dental caries				
Use appropriate code for condition that is reason for the comprehensiv exam e.g. K05.3 = Chronic Periodontitis; K03.0 = Excessive attrition of teeth. Z13.8 = Special screening examination for other specified diseases and disorders				
Anxiety disorder, unspecified				
Other dental caries				
Other dental caries				
Other specified disorders of the gingiva and edentulous alveolar ridge				
Dental examination				
Chronic Periodontitis				
S02.5- = Fracture of tooth. N.B. - S code must be followed by a supplementary external cause code. Example S02.51 = Fracture of tooth, open /W21 = "Striking against or struck by sports equipment" /.3 = at sports or athletics arena /.-0 indicates during sports activity so complete code for cusp/tooth fractured by hockey stick is S02.51/W21.30				
Unintentional cut, puncture, perforation or haemorrhage during surgical operation. Y60.0 is an external cause code and is not valid in the primary position				
Cyst of oral region, unspecified				
Loss of teeth due to accident, extraction or periodontal disease				
Loss of teeth due to accident, extraction or periodontal disease				
Loss of teeth due to accident, extraction or periodontal disease				
Fitting or adjustment of dental prosthetic device				
Loss of teeth due to accident, extraction or periodontal disease				
Fitting and adjusting of dental prosthetic device				

Dental examination				
Dry mouth, unspecified				
Alveolitis of jaws				
Fitting and adjusting of dental prosthetic device				
Loss of teeth due to accident, extraction or periodontal disease				
Other and unspecified diseases of the pulp and periapical tissues				
Erosion of teeth				
Disturbances in tooth eruption				
Dental examination				
Benign neoplasm, other and unspecified parts of mouth				
S09.9 = Unspecified injury of head. V48.5- = Car occupant injured in noncollision transport accident. Follow with other supplementary external cause codes as in other injuries				
Fitting and adjusting of dental prosthetic device				
Unspecified complication of internal prosthetic device, implant and graft. (All T codes require a supplementary external cause code)				
Other dental caries				
Other specified prophylactic procedures				
Loss of teeth due to accident, extraction or periodontal disease				
Other specified prophylactic measures				
T17.4 = Foreign body in trachea, T17.0 = Foreign body in nasal sinus. (All T codes require a supplementary external cause code)				
T18.1 = Foreign body in oesophagus. T18.2 = Foreign body in stomach. (All T codes require a supplementary external cause code)				

S02.6- = Fracture of mandible. open [-.1] or closed[-.0] S02.61 N.B. - S code must be followed by a supplementary external cause code . a. codes must be separated by forward slash. b. V43 = car occupant injured in collision with car, pickup truck or van. c. place = on street or highway = .4 d. activity = while working for income = .-2 FULL VALID CODE = S02.61/V43.42	Indicate if				
See under "Cusp fracture"					
Other dental caries					
Foreign object accidentally left in body during unspecified surgical and medical care. xternal cause code, not valid in the primary position. Must be preceded by a code from the section for complications of medical and surgical care					
Other dental caries					
Mechanical complication of other specified internal prosthetic devices, implants and grafts. All T codes require a supplementary external cause code					
T88.8 Other specified complications of surgical and medical care, not elsewhere specified; Y88.2 Sequelae of adverse incidents associated with medical devices in diagnostic and therapeutic use. All T codes require a supplementary external cause code					
Congenital malformations of lips, not elsewhere					
Ankyloglosia					
Dental examination					
Use same code as for procedure being done					
Gingival enlargement					
Gingival enlargement					
K04.5 Chronic apical periodontitis or K02.2 Caries of cementum (if inter-radicular caries)					
Impacted teeth					
Loss of teeth due to accident, extraction or periodontal disease					
Adjustment and management of other implanted devices					

Unspecified complication of internal prosthetic device, implant and graft				
use code applicable to main procedure				
Other specified complications of surgical. (Primary and supplementary external cause code code required)				
Mouth breathing				
Other and unspecified diseases of pulp and periapical tissues				
See under specific anatomical areas e.g. fractured mandible, fractured cusp, avulsed tooth, etc				
Anxiety disorder, unspecified				
A couple of possible reasons: caries, aesthetic Z41.8, fractured tooth				
Carcinoma in situ, skin of lip				
Use same code as for procedure being done				
Other periodontal diseases				
Anomalies of dental arch relationship				
Loss of teeth due to accident, extraction or periodontal disease				
Use code appropriate for condition being treated.				
Other specified prophylactic procedures				
Sleep apnoea				
K03.0 Excessive attrition of teeth or M25.58 = Pain in joint, other site. Note that M25.5 must have a 5th character to be valid.				
Developmental odontogenic cysts				
Acute periodontal diseases				
Anomalies of dental arch relationship (For minor ortho, might be K07.3 - Anomalies of tooth position)				
Fitting and adjusting of orthodontic device				
Other specified disorders of the gingiva and edentulous alveolar ridge				
Other specified disorders of the gingiva and edentulous alveolar ridge				
Loss of teeth due to accident, extraction or periodontal disease				
Dental examination				

Paraesthesia of skin				
Chronic apical periodontitis				
K04.6 = Periapical abscess with sinus. K04.7 = Periapical abscess without sinus				
Other periodontal diseases				
Acute periodontitis				
Special screening examination for other specified diseases and disorders				
Other dental caries				
Loss of teeth due to accident, extraction or periodontal disease				
Other dental caries				
Haemorrhage and haematoma complicating a procedure, not elsewhere classified. All T codes require a supplementary external cause code				
Fitting and adjusting of dental prosthetic device				
Other specified prophylactic procedures				
Anxiety disorder, unspecified				
Us code for condition for which prescription is given				
Other specified prophylactic procedures				
Other specified prophylactic procedures				
Loss of teeth due to accident, extraction or periodontal disease				
Dental caries, unspecified				
Pulpitis				
Dental examination				
Other and unspecified diseases of the pulp and periapical tissues				
Adverse effects in therapeutic use, local anaesthetics. external cause code, not valid in the primary position.				
Fitting and adjusting of dental prosthetic device				
Dislocation of tooth. Does not need 5th character but S code must be followed by a supplementary code				

Fitting and adjusting of dental prosthetic device				
Retained dental root				
Other procedures for purposes other than remedying health state				
Pulp degeneration				
Chronic periodontitis				
Necrosis of pulp				
Use ICD-10 code for procedure for which rubber dam is being used				
Deposits [accretions] on teeth				
Other specified prophylactic procedures				
Anxiety disorder, unspecified or code R45.8 = Other symptoms and signs involving emotional state				
Acute maxillary sinusitis				
Sleep apnoea				
Mouth breathing				
Loss of teeth due to accident, extraction or periodontal disease				
K03.21 Avulsion, luxation or extrusion of tooth. OR K05.5 Other periodontal disease				
Other forms of stomatitis				
Dental examination				
Supernumery teeth				
Attention to surgical dressings or sutures				
Other procedures for purposes other than remedying health state				
Fitting and adjustment of dental prosthetic device				
Pain in joint, other site				
Other specified disorders of teeth and supporting structures				
Posteruptive colour changes of dental hard tissues				
Dental examination				

